

UNIVERSITY OF CALIFORNIA

Los Angeles

Wildlife Crossing Over Route 101

A dissertation submitted in partial
satisfaction of the requirements for the
degree Doctor of Philosophy
In Civil and Environmental Engineering

by

Sheik Moinuddin

2021

ProQuest Number:

All rights reserved

INFORMATION TO ALL USERS

The quality of this reproduction is dependent upon the quality of the copy submitted.

In the unlikely event that the author did not send a complete manuscript and there are missing pages, these will be noted. Also, if material had to be removed, a note will indicate the deletion.



ProQuest

Published by ProQuest LLC (2018). Copyright of the Dissertation is held by the Author.

All rights reserved.

This work is protected against unauthorized copying under Title 17, United States CodeMicroform Edition © ProQuest LLC.

ProQuest LLC.
789 East Eisenhower Parkway
P.O. Box 1346
Ann Arbor, MI 48106 - 1346

© Copyright by
Sheik Moinuddin
2021

ABSTRACT OF THE DISSERTATION

Wildlife Crossing Over Route 101

by

Sheik Moinuddin

Doctor of Philosophy in Civil and Environmental Engineering

University of California, Los Angeles, 2021

Professor Michael K. Stenstrom, Chair

Biodiversity across the world is in decline because of the population increase as well as urban development. Subsequently, fragmentations of the landscape and habitat loss are occurring. There are only twenty-one biodiversity hotspots left in the world and nowhere is the risk more severe than in southern California. Countering these threats, it became necessary to connect all the available open lands in Southern California to create a network for wildlife movements. Such an interconnected set of reserves would allow natural ecological processes to continue and thrive, as they have for centuries. Thus, researchers in the field identified the Santa Monica - Sierra Madre Connection as the highest priority linkages to conserve which would provide miles of roaming ground to a wide variety of animals ranging from shrews to mountain lions. Mammals, specially like mountain lions requires large area for hunting and to thrive genetically.

However, this once contiguous mountain ranges from Santa Monica to Sierra Madre had been severed in early seventies by the construction of US-101 Freeway and divided the habitat range into isolated habitat fragments and resulted in severely restricted movement for many wildlife species including mountain lions, bobcats, gray foxes, coyotes and mule deer between the two mountain ranges. For mountain lion in particular, the consequences of this restriction result in increased inbreeding, territorial fighting, and very low genetic diversity. Research conducted by the National Park Service since 2002 has demonstrated that mountain lions could face extinction in the Santa Monica Mountains within 50 years, with a median 15 years because of a fragmented landscape.

Therefore, researchers analyzed several locations and investigated probable alternatives and recommended the development of a vegetated bridge over US-101, near Liberty Canyon Road, in the City of Agoura Hills which would provide the best location in the region for improving connectivity and would serve the broadest range of species.

Once built, this would be the largest wildlife crossing of it's kind in the world, the first to attempt a large-scale intervention for wildlife in an urban area with over 20 million people, and over a roadway carrying over 300,000 vehicles per day. This will set a model worldwide for urban wildlife conservation and help inform future efforts. It has renewed the urgency to keep our wildlife from going extinct because of the urban development and shows that animals and humans can coexist.

The dissertation of Sheik Moinuddin is approved.

Michael K. Stenstrom, Committee Chair

Jennifer A. Jay

Sanjay K. Mohanty

I.H. Suffet

University of California, Los Angeles

2021

TABLE OF CONTENTS

ABSTRACT OF THE DISSERTATION.....	ii
TABLE OF CONTENTS	v
LIST OF FIGURES.....	vii
LIST OF TABLES	ix
ACKNOWLEDGEMENT	x
RESUME.....	xi
CHAPTER 1	1
Introduction.....	1
CHAPTER 2	14
Review of Other Wildlife Crossings	14
CHAPTER 3	28
Site Determination	28
CHAPTER 4	41
Project Description	41
CHAPTER 5	58
Challenges and benefits	58

CONCLUSION	63
APPENDICES	67
REFERENCES	88

LIST OF FIGURES

Figure 1-1: Biodiversity Hotspots in California	1
Figure 1-2: South Coast Ecoregion.....	2
Figure 1-3: Missing Linkages.....	3
Figure 1-4: Santa Monica Mountains National Recreation Area.....	4
Figure 1-5: Effects of Roadways on Wildlife.....	5
Figure 1-6: Wildlife-Vehicle Collisions (2015-2016).....	6
Figure 1-7: Project Location.....	10
Figure 1-8: Architectural Rendering of the Bridge and the Tunnel.....	11
Figure 1-9: Architectural Rendering of the Vegetation over the Bridge.....	12
Figure 2-1: Natuurburg Zanderij Crailoo Ecoduct in Netherland.....	16
Figure 2-2: The Salty Creek Wildlife Underpass.....	17
Figure 2-3: Crab Crossing at Christmas Island National Park in Australia.....	18
Figure 2-4: Banff National Park Wildlife Crossing.....	19
Figure 2-5: Under crossings on I-75	21
Figure 2-6: Wildlife Bridge over I-90, East of Snoqualmie Pass.....	22
Figure 2-7: Harbor Boulevard Wildlife Underpass.....	23
Figure 2-8: A FLM Afflicted Florida Panther.....	26
Figure 3-1: California Ecoregions.....	28
Figure 3-2: Missing Wildlife Linkages.....	30
Figure 3-3: South Coast Missing Linkages	31
Figure 3-4: Santa Monica-Sierra Madre Connection.....	32
Figure 3-5: A Male with Reproductive and “L” Shaped Tail Defects	35

Figure 3-6: Project Location Map.....36

Figure 3-7: Project Location Map Enlarged37

Figure 3-8: Project Location Showing Protected Lands38

Figure 3-9: Architectural Rendering of the Bridge and the Tunnel39

Figure 4-1: Target Species for the Wildlife Crossing41

Figure 4-2: Culvert on State Route 76 Corridor, San Diego.....48

Figure 4-3: Culvert on Highway 17, Santa Clara Co., CA.....49

Figure 4-4: Architectural Vision of the Proposed Project52

Figure 4-5: Busy Freeway at Night.....53

Figure 4-6: Bobcat Presence VS Noise Intensity.....53

Figure 4-7: Sound Intensity at the Proposed Overcrossing.....54

Figure 5-1: Benefits to the Wildlife.....61

LIST OF TABLES

Table 2-1: Various Wildlife Crossings and the Species they Serve.....	24
Table 4-1: Modified Analysis of Target Species Ability and Willingness to Use Alternative 1.....	42
Table 4-2: Modified Analysis of Target Species Ability and Willingness to Use Alternative 2.....	45
Table 4-3: Planting Palette Recommendations.....	55

ACKNOWLEDGEMENT

First, I like to acknowledge my wife Tanzina Nasreen and my two beautiful daughters; Riona Sheik and Namira Sheik to put up with me during this time. Between my full-time job and dissertation writing, I barely have any time for them while my daughters were mostly stuck at home due to this COVID pandemic. My oldest daughter, Riona Sheik helped me proofread the documents too. Also, I wish my parents, especially my dad was here to see me finally completing my Ph.D. It was because of dad's encouragement, I enrolled into this Ph. D. program.

Second, I do not have enough words to express my gratitude to *Dr. Michael Stenstrom*, the Chair for my dissertation. Because of my work and family commitments, so many times I wanted to discontinue pursuing the Ph. D. program. However, he always told me 'just write one page a day and you will be done before you even know it'. Without his continuous encouragement, guidance, and mentorship, I would have never completed this.

I am also truly thankful to my candidacy/defense committee *Dr. Jennifer Jay, Dr. Sanjay Mohanty and Dr. I.H.Suffet* for accepting to be on my committee and to provide me with valuable guidance.

Sheik Moinuddin

Summer 2021

RESUME

Education **Graduate Student**

Civil and Environmental Engineering,
University of California, Los Angeles (UCLA)

M.S.

Civil Engineering,
California State University, Long Beach (CSULB)

B.S.

Civil Engineering,
University of Louisiana at Lafayette

Work	Caltrans	Jan. 1991-
-------------	----------	------------

Experience	Project Manager: Currently Managing	Present
-------------------	-------------------------------------	---------

- High Speed Rail project through Southern California.
- Modernize LA Union Station for 2028 Olympic with LA Metro (Link US).
- Wildlife Crossing over Route 101 near Liberty Canyon Road.

- Freeway Cap over 101 near Downtown LA
to build community park.

PhD Wildlife Crossing Over Route 101, City of Agoura Hills

Research

Master Research Air Pollution, it's Sources and Effects on Living Things and the way of Remediation.

- Honors Awards and Accolades**
- Received Tranny and Excellence in Transportation Award from California Transportation Foundation for the Dynamic Lane Management System at the Route 110/5 Interchange (first of it's kind in US).
 - Dynamic lane project was published in LA Times (front page).
 - Presented at the 14th TRB International Managed Lane Conference held in Oakland in 2012 under Technological Innovation
 - Invited to present Flex Lane Concept (never before used in US) at the International Symposium on Enhancing Highway Performance (ISEHP) held in Berlin, 2016.
 - Received award from State Senator Shiela Kuhl and LA County Supervisor Zev Yaroslavski for implementing context sensitive

solution to address motorist's safety in their communities

- Represented Caltrans on a Statewide Pedestrian Taskforce and Received AASHTO Trailblazer Award (1999).
- Received Superior Accomplishment Award for organizing the first Caltrans' (Los Angeles) Innovation Fair.
- Honor Student at the University of Louisiana at Lafayette.

CHAPTER 1

1. INTRODUCTION

There are only thirty-six different recognized biodiversity hotspots in the world, including six from the United States. Three out of the six biodiversity hotspots in the United States are in California: South Coast Ecoregion, San Francisco Bay Area, and Death Valley (along with Hawaii, Southern Appalachians, and the Florida Panhandle).

Among the threatened and endangered species in the continental U.S., ranging from plants and invertebrates to birds, mammals, fish, amphibians, and reptiles, California has the most significant number with over 400 species that are considered to be either at risk, or endangered.



Figure 1-1: Biodiversity Hotspots in California

Among the California hotspots, South Coast Ecoregion is the most threatened hotspot of



Figure 1-2: South Coast Ecoregion

biodiversity in California, as well as in the U.S (State of California, Natural Resources Agency, 2021).

The South Coast Wildlands initiated a study called South Coast Missing Linkages project that identified several conservation lands (national and state parks, national forests, and private lands) within the South Coast Ecoregion which are not linked. If linked, it would create a vast uninterrupted land over 18 million acres for the wildlife to roam (South Coast Wildlands, 2008), its' boundaries being the Sierra Nevada to the north, Baja California to the south, Camp Pendleton to the west, and Anza-Borrego Desert State Park to the east,

(South Coast Wildlands, 2008). This project has been widely considered as one of the critical wildlife conservation strategies for Southern California.



Figure 1-3: Missing Linkages

(South Coast Missing Linkages: A Wildland Network for the South Coast Ecoregion, 2008)

The South Coast Missing Linkages project has identified the Santa Monica - Sierra Madre Connection as the most crucial linkage to conserve because of the varied wildlife presence, land use pressure, and climate change (South Coast Missing Linkages, 2008). The California Essential Habitat Connectivity Project commissioned by Caltrans, The California Department of Fish and Wildlife and Federal Highways Administration (California Department of Transportation & California Department of Fish and Game, 2010), has also recommended to restore this linkage. Once this linkage is restored, it would connect the Santa Monica Mountains at the coast to the south to the Santa Susana

Mountains' jagged peaks and the Sierra Madre Ranges (Los Padres National Forest) to the north. Santa Monica - Sierra Madre linkage is also one of the few coastal to inland connections left in the South Coast Ecoregion.

The Santa Monica Mountains, with its lush green valleys, rugged coastlines, and mountain peaks ranging from 1,000 to 3,000 feet, spans over 153,000 acres and extends approximately 40 miles from the west to the east. Point Mugu borders it to the northwest and Griffith Park to the east. Santa Monica Bay borders the southern end of this mountain range (National Park Service, 2002).




Figure 1-4: Santa Monica Mountains National Recreation Area (Courtesy: National Park Service)

The Santa Monica Mountains is one of the most bio-diverse hotspots in California. It has

over 45 different mammal species among other wildlife populations, and they range from shrews to mountain lions. The shrews typically weigh less than an ounce, while mountain lions weigh approximately 150 Lbs (National Park Service, 2002). Other smaller mammal species include rats, rabbits, gophers, mice, squirrels, bats, and moles. These smaller mammals are an essential part of this ecosystem since they eat insects, disperse seeds, and till soils. They are also to be the food source for other mammalian carnivores, reptiles, and raptors.

Mammals usually define their home range as an area where they would look for food, hunt, and breed. They would generally exclude same-sex species to invade into their territories. As urban sprawls continue, their home ranges are becoming fragmented and smaller. That poses a severe threat to these mammal's survival as they have less room to hunt and breed. This is especially true for large carnivores such as mountain lions. It becomes more challenging for them to find suitable home ranges. Roadways, especially extensive highways, also contribute to this problem. They fragment the already



Figure 1-5: Effects of roadways on wildlife (Andreas Seiler, 2003)

10,000 vehicles per day become a deadly trap for the wildlife movement, and highways with over 10,000 vehicles per day become a total barrier for the wildlife movement.

Also, UC Davis Road Ecology Center's research shows an alarming number of accidents involving wildlife between 2015 and 2016 in California. Nationally, over 5% of all accidents involve wildlife which costs society nearly \$8.4 billion (Shilling, 2018).




Figure 1-6: Wildlife-Vehicle Collisions (2015-2016)

The Santa Monica Mountains, once a contiguous mountain range and a thriving ground for the mammals such as mountain lions, bobcats, gray foxes, and mule deer, was fragmented when the US-101 highway was built in the 1970s. This Freeway runs mostly

north-south in California and became a heavily traveled commuter route between Los Angeles and Ventura Counties. Near the City of Agoura Hills, US-101 is an eight-lane Freeway that runs east-west.

US-101 traverses through the City of Agoura Hills, thus separating a once contiguous mountain ranges into the Santa Monica Mountains to the south from the Simi Hills and the Santa Susana Mountains to the north. US-101 at this location is 210 feet wide, with four lanes in each direction and carrying approximately 304,000 vehicles per day (Caltrans, 2016). The Freeway became an impenetrable barrier between those two mountain ranges and severely restricted movement for larger mammal species, including mountain lions, gray foxes, coyotes, bobcats, and mule deer. These mammals, especially mountain lions, need an extensive home range to hunt and breed to survive and thrive. Consequences of these smaller home ranges and restricted movement result in increased inbreeding, territorial fighting, and very low genetic diversity (Benson, 2016).

Since 1996, researchers from various organizations, including the National Park Services (NPS), have studied regional wildlife connectivity within the Santa Monica Mountain National Recreational Area (SMMRA) (National Park Service, 2002). From an evaluation of the linkage between the Santa Monica Mountains and the Sierra Madre Range, experts determined that the presence of a wildlife crossing would be critical as it represents one of the few remaining Southern Californian connections between the coastline and inland habitats (South Coast Wildlands, 2008). This evaluation also emphasized the need to sustain developmental and ecological processes in California's South Coast and Ecoregion by maintaining and enhancing this crucial linkage. Data

collected and published by the NPS concerning carnivore movement over a decade only reinforces the significance of developing a linkage to preserve Santa Monica Mountain wildlife populations (National Park Service, 2002).

In order to preserve a viable mountain lion population, the NPS has concluded from analyzing genetics and tracking home range sizes that developing systems of wildlife connectivity in the Simi Hills, Santa Susana Mountains, and the larger ecosystem of the Sierra Madre Range is imperative. Due to a lack of connections, analysis of the mountain lions in the Santa Monica Mountains has found that they have the lowest level of genetic diversity than anywhere else in California or the Western United States (National Park Service, 2002). Mountain lions are also not particularly skilled at crossing highways, especially those with wide roads and heavy traffic, making roadkill another leading factor in the declining mountain lion population (Shilling, 2008).

According to National Park Service Data, providing connectivity is also essential for local species other than mountain lions. Data has shown that, since the Freeway was built, bobcats and coyotes also exhibit significant genetic effects. Smaller species such as lizards and birds have also been affected by habitat fragmentation primarily caused by roads and urban development (National Park Service, 2002). Movement between remaining areas of natural habitat in the Santa Monica Mountains has become severely restricted, and without a safe and sustainable wildlife crossing, many species are essentially trapped.

To evaluate the possibility of a linkage across US-101, multiple sites along a stretch of

US-101 were evaluated. Eventually, the experts working in the field of wildlife movement concluded that the Liberty Canyon area was the optimal location for such a project and a viable solution for a safe and sustainable wildlife crossing across US-101. Both sides of the Freeway are already protected lands for the wildlife. If connected, it would create a vast contiguous swath of protected habitat from the Santa Monica Mountains to the south and the Sierra Madre Mountain Range to the north (Riley, 2018).

Several construction alternatives were analyzed, including tunnels as well as a bridge crossing US-101. Scientists argued that a narrow tunnel might not be effective since animals are reluctant to cross a narrow unvegetated tunnel. A wider tunnel may be more conducive to the animal movement (Spencer, 2010); however, it was not considered feasible due to constructability considerations and high traffic impact. A large tunnel would require using the cut-and-cover technique and the closure of US-101, one of the region's busiest freeways, for an extended period. Therefore, it was proposed to build a vegetated bridge across US-101, west of Liberty Canyon Road, and a tunnel over Agoura Road, south of US-101.




Figure 1-7: Project Location

The scope of work includes:

- Construct a two-span, 165-foot wide by 216-foot-long bridge with columns on spread footings in the US-101 Freeway median. Construct retaining and sound walls at both the north and south end of the bridge and sound walls along the outer edges of the bridge to mitigate traffic noise and light to make the crossing more conducive to wildlife crossing. Plant native vegetation on the bridge to provide a passage that resembles the natural extension of the wildlife habitat.
- Construct a tunnel over Agoura Road. Fill and grade the area between the Freeway and Agoura Road to provide a continuous grade allowing the wildlife crossing to extend over Agoura Road before descending to join the existing ground near the creek.



Figure 1-8: Architectural Rendering of the Bridge and the Tunnel




Figure 1-9: Architectural Rendering of the vegetation over the Bridge

The project is in the final design stage and anticipated to break ground in Fall 2021. Overall, the project would have a positive impact on wildlife corridors. The proposed project can facilitate safe and sustainable wildlife passage across US-101 for all target species and other wildlife species living within these mountain ranges. This project will reduce wildlife mortality as it will mitigate wildlife crossing the highway, facilitate animal movement across habitats, and allow for a greater exchange of genetic material of large mammals such as mountain lions and bobcats whose populations have been adversely affected due to urban development and habitat loss/fragmentation between the Sierra Madre Mountain Range and the Santa Monica Mountains. These mountains have been almost completely isolated from other natural areas due to urban sprawl and agricultural lands, resulting in even further habitat loss/fragmentation according to the SMMRA

General Management Plan. The need for connectivity is vital to the survival of wildlife species affected by habitat fragmentation. This damage will only be aggravated as climate change further impacts species distribution patterns.

This dissertation aims to draw attention to the issue of ever-decreasing vast wildlands around us due to housing development, freeways, and malls and its impact on the wildlife population. It describes how other countries are tackling this issue and what solutions are being discussed for this location. Finally, the dissertation documents the decision to use a vegetated bridge over US-101 Freeway.

CHAPTER 2

2. REVIEW OF OTHER WILDLIFE CROSSINGS

A widespread practice in habitat conservation is wildlife crossings which allow for the conjunction or reconnection of habitats and ecosystems to combat the ever-growing problem of habitat fragmentation. These crossings are also vital in preventing animal and vehicle collisions which result in property damage and potential injury to wildlife and humans.

Wildlife crossings are usually structures that help animals safely cross human-made barriers. They include but are not limited to tunnels and culverts (for fish as well for small mammals such as otters, hedgehogs, and badgers), viaducts, overpasses or green bridges (mainly for large or herd-type animals), fish ladders, canopy bridges (especially for monkeys and squirrels), and green roofs (for butterflies and birds).

The first known usage of wildlife crossings dates back to 17th-century France, where locals used bundles of branches to create a rough fish ladder that helped fish freely navigate steep channels and bypass human-made obstructions. This concept was later transformed by Richard McFarlan of New Brunswick, Canada, in 1837, who designed a separate fishway to bypass a dam in his water-powered lumber mill (Mario T., 2001). As the world became more industrially advanced, many other countries, including the US, began to adopt these fish bypasses, and they became common practice. The Rhode Island, United States, in 1880 built the first fish ladder on the Pawtuxet Falls Dam (Office

Of Technology Assessment, Washington DC, 1995).

During the 1950s, France and other European countries started building overland wildlife crossings to reduce conflicts between wildlife and roads. These overland crossings include a variety of different overpasses and underpasses. These crossings have been used for several decades and have been attributed to the re-establishment of many threatened species such as small mammals, invertebrates, badgers, and amphibians (Chilson, 2003). Other countries, including the US and Canada, have also started focusing on these overland crossings as the viable alternatives to reduce vehicle-wildlife collisions and provide them with significant and connected habitats for roaming, hunting, and breeding. Following are some of the notable wildlife crossings from around the world and the species they serve.

Ecoducts in the Netherlands:

The most successful case of wildlife crossings in Europe has been in the Netherlands. The construction of over 600 tunnels in both major and minor roads has significantly increased the population of the endangered European badger (twistedisfer, 2012). The Netherlands has over 66 crossings (overpasses and viaducts), which target the conservation of the European badger and other native species such as the roe deer, red deer, and wild boar.

A leader in wildlife preservation, The Veluwe, the largest lowland nature area in North-Western Europe, contains nine viaduct (call an "ecoduct" due to the presence of turf and foliages), used to help wildlife to cross highways as of 2012. The first two ecoducts were

introduced in 1988 when the A50 highway was first built. Five of the other ecoducts in Veluwe were built on existing highways. The ecoducts along the A50 have proven to be the most effective, with nearly 5,000 deer and wild boars using it during one year in 2012 (Bank et al. 2012). The Netherlands is also home to the world's longest ecoduct- wildlife overpass

called the
Natuurbrug
Zanderij
Crailoo
(Danby, 2004).
The ecoduct,
completed in
2006, is about
2600 feet long



**Figure 2-1: Natuurbrug Zanderij Crailoo Ecoduct in Netherland
(atlasobscura.com)**

and 165 feet wide at the cost of 14.7 million Euros. It is built across a railway line, Business park, roadway, sports complex, and a river. This ecoduct has been closely monitored to determine the effectiveness of such a massive project regarding wildlife conservation and its impacts on urban development.

Slaty Creek Wildlife Underpass, Calder Freeway, Black Forest, Australia:

Another important wildlife crossing is located in the Black Forest in Victoria, Australia, an

underpass that aims to mitigate the effects of the Calder Freeway on native wildlife. The Slaty Creek underpass is located at the Black Forest Section of the Calder Freeway and was built by the Victorian Government Roads Corporation at \$3 million (AU) in 1997 (Abson & Laurence 2003). This underpass is approximately 230 feet wide and crossing two bridges carrying traffic in both directions. It is

about 330 feet long connecting habitats separated by the Calder Freeway bridge piers (Abson & Laurence 2003). This underpass was closely monitored using 14 different techniques over 12 months after the construction ended

(Abson & Laurence 2003). During this time, it was found that 79 out of 116 of the species in the Black Forest were detected in this



Figure 2-2: The Salty Creek Wildlife Underpass (Abson & Laurence 2003)

underpass, including kangaroos, gliders, reptiles, birds, bats, koalas, wombats, reptiles, and many other species (Abson & Laurence 2003).

Crab Bridge at Christmas Island National Park, Australia:

Animals like the kangaroo, elk, and koalas are not the only species that get safe passage in Australia. A bridge was built for the safe passage of red crabs on Christmas



Figure 2-3: Crab Crossing at Christmas Island National Park in Australia
(parksaustralia.gov.au)

Island National Park as well. Each year, between October and January, between 40 and 50, millions of red crabs from all over the island head to the ocean to mate and lay their eggs in the ocean. During this time, traffic and the roadways through the park become an impediment to their journey due to the presence of hundreds of people from around the world to see this spectacle. They have to cross several busy roadways before reaching the ocean and frequently get crushed by vehicles. Therefore, the Park authority built a 16-foot-high bridge across the highway, scaleble by the crabs, to make

their journey safer over the highway. Miles of plastic barriers were also installed to funnel these tiny creatures to 31 underpasses as well as this overpass (Debczak, 2020).

Wildlife overpasses at the Banff National Park in Alberta, Canada:

The Banff National Park is the home to a thriving ecosystem. It hosts about 3.5 million visitors a year, with an additional 4.5 million drivers who drive through the park using Trans-Canada Highway (Park Canada, 2017), thus possess a significant threat to the wildlife in the area due to vehicle collisions.



Figure 2-4: Banff National Park Wildlife Crossing (Canadiangeographic.ca)

To remedy this problem, Banff has installed extensive fencing to discourage animals from

entering the highway. Highway fencing has reduced wildlife-vehicle collisions by more than 80% and, for elk and deer alone by more than 96% (Parks Canada, 2017). They have also constructed six wildlife overpasses and 38 underpasses since 1996; 24 were built during a road improvement project in 1978 (Clevenger, 2007). Eleven species of large mammals have been recorded using wildlife crossings more than 150,000 times between 1996 and 2012 (Parks Canada, 2017).

In recent years, wildlife crossings have also started to gain traction in the United States, partly because of the increasing number of animal-vehicle collisions. Over 5% of all roadway accidents involve wildlife which costs society nearly \$8.4 billion (Shilling, 2018). On a yearly average, about 200 human fatalities and well over 26,000 injuries occur in the US, and there are thousands of unreported cases (Westerpriorities.org, 2020).

Over the last 30 years, thousands of wildlife crossings, mostly culverts and under crossings, have been constructed across the US to assist in the conservation of wildlife including Montana mountain goats, California desert tortoises, Colorado bighorn sheep, and endangered Florida panthers (Chilson 2003).

Wildlife Crossings at Collier and Lee counties in Florida:

Florida panthers are at-risk animals. Before 2000, four or fewer panthers would get killed on the roadways every year. However, since 2000, that number has increased to about 34 annually. To cope with the dwindling number of Florida panthers, the Florida Fish and

Wildlife Conservation Commission (FWC), in 1972, decided to construct Florida's first wildlife crossing in Collier County, over I-75. Since then, by the early 1990s, twenty-four highway underpasses, ranging in size from 5-feet tall x 10-feet wide to 8-feet tall x 120-feet wide were constructed; and 12 bridges were modified, along a 40 mile stretch on



Figure 2-5: Under crossings on I-75 (Florida Fish and Wildlife Conservation Commission)

I-75 in Collier and Lee counties (Florida Fish and Wildlife Conservation Commission, 2021). These crossings were explicitly built to target the conservation of the endangered Florida panther. This panther is particularly prone to vehicle collisions. Foster and Humphrey (1995) claim an estimated 80-100 panthers left in the wild North American territories, putting them on the list of most endangered species in North America.

Along with the above underpasses and bridges, the FWC has used various other tactics, with crossings and fences being the most effective (Scott, 2007). Since 2007, no additional panthers have been killed in areas where wildlife crossings and fences have been implemented. The underpasses on I-75 targeted towards these panthers have also been proven to benefit raccoons and deer (Foster and Humphrey, 1995).

Snoqualmie Pass in the State of Washington:

When considering wildlife crossings, Washington State was one of the latest to participate. Its first wildlife bridge started in 2015 at the cost of \$6.2 million, east of the Snoqualmie Pass, over Interstate 90, which runs from Seattle to Boston. The bridge was

only a basic set of arches then, with native plants to be planted later.

However, several species, including deer and coyotes, were already using it



**Figure 2-6: Wildlife Bridge over I-90, east of Snoqualmie Pass
(Google)**

(Vartan, S., 2019). Alongside six other underpasses built since 2013, these crossings are only the first few planned to be a set of 20 along a 15-mile stretch along I-90 (Vartan, S., 2019). Once a near-impenetrable barrier for the wildlife, these passes will allow black bears, mountain lions, elk, and even stoat to traverse.

These wildlife crossings are not just for individual species but rather for species survival. The I-90, an economically crucial east-west lifeline in the State, when built, fragmented once contiguous wildlife habitat. Wildlife, especially on the south side of the highway, got trapped between the highway and the Columbia River to the further south, thus creating

an array of biological complications, including inbreeding (Vartan, S., 2019).

Wildlife Underpasses in southern California:

Wildlife crossings have also been vital in protecting and preserving the biodiversity of southern California. For example, Childon (2003) describes the construction and implementation of the underpasses in San Bernardino County may have decreased the tortoise deaths caused by vehicle collisions by about 93% within the first four years after construction. As seen in San Bernardino County, even makeshift wildlife crossings such as storm drainage culverts have proved effective in protecting threatened species

(Chilson, 2003). Additional studies by Haas (2000) and Lyren (2001) have shown that the construction of underpasses in the Riverside, Orange, and Los Angeles County are all frequented by a variety of animals, including coyotes, bobcats, the gray fox, long-tailed



**Figure 2-7: Harbor Boulevard Wildlife Underpass
(Puente Hills Habitat Preservation Authority)**

weasels, and mule deer. Los Angeles County's first wildlife underpass was built at Harbor Boulevard in partnership between Los Angeles County, California State Parks, and the Puente Hills Habitat Preservation Authority (Puente Hills Habitat Preservation Authority,

2013).

Wildlife crossings have been used since the 17th-century, and the first known crossing was a 'fish ladder' in France (Mario T., 2001), which helped fishes freely navigate steep channels and bypass human-made obstructions. As stated previously, wildlife crossings can come in all different forms, ranging from tunnels and culverts to canopy bridges. The benefits of these crossings have been very well documented in various research papers. Following Table 1 summarized some of the significant crossings from around the world mentioned above and their usefulness to animal diversity.

Table 2-1: Various Wildlife Crossings and the species they serve

Wildlife Crossings	Description and Location	Targeted Species
Natuurbrug Zanderij Crailoo	Vegetated bridge in Netherland	European badger, roe deer, red deer, and wild boar
Slaty Creek wildlife underpass	Underpass in Victoria, Australia	Kangaroos, gliders, reptiles, birds, bats, koalas, wombats, and reptiles
Crab-bridge at Christmas Island National Park	Bridge scalable to crabs, Christmas Island, Australia	Red crabs
Wildlife overpass	Vegetated bridge, Banff	the red fox, hoary marmot,

	National Park, Canada	boreal toads, wolverines, lynx, garter snakes, and beavers
Wildlife underpasses and overpasses	Collier and Lee counties, Florida	Florida panther, raccoons, and deer
Snoqualmie Pass	Overpass over I-90, State of Washington	Black bears, mountain lions, elk, and stoat
Underpasses	Riverside, San Bernardino, Orange and Los Angeles County, California	Tortoise, coyotes, bobcats, gray fox, long-tailed weasels, and mule deer

As was described in the previous chapter, wildlife, especially large mammals such as mountain lions, bobcats, mule deer, and bears, needs a large swath of land, calling it a home range for hunting and breeding. As the human population increases, so is industrial and urban developments. More and more wildlife habitats are being used for urban developments and agricultural lands. The roadways are fragmenting the remaining habitats.

Small patches of fragmented habitat pose several problems to the wildlife. Smaller habitats are susceptible to natural calamities such as fire and flood. Wildlife may encounter shortages of food, and thus negatively impact their existence. While the animals venture out of their small habitat searching for food and mate, it becomes difficult to cross roadways and other human developments safely. North Carolina

Wildlife Federation (2021) reported that more than a million animals get killed each day in the US in vehicle-wildlife collisions. Genetic drift is another concern since genetic variations are reduced in the smaller habitats, resulting in inbreeding which gives rise to genetic deformities. Recently, a neurological disease called feline leukomyelopathy (FLM) has been found in several Florida panthers. The FLM causes limb weakness and partial paralysis in severe cases. Affected animals often face trouble walking, leading to starvation and death (National Geographic, 2021). The researchers are looking into several causes including genetic disorder.



Figure 2-8: A FLM Afflicted Florida Panther (National Geographic, 2021)

Therefore, it became imperative to sustain ecological diversity and help thrive wildlife

populations; there is a need for an expansive landscape. The only solution to achieve that is to create wildlife corridors by connecting fragmented habitats. Corridors will allow animals like mountain lions and mule deer to roam from one habitat to another without any interference from the humans, thus making it safer for both. Without a large landscape, these mammals would be the first to disappear. Significant or connected habitats can also help negate climate change and natural calamities.

CHAPTER 3

3. SITE DETERMINATION

California, as this century begins, was a playground for abundant wildlife, great and small. Grizzly bears dominated the landscape while the mountain lions roamed from mountains to sea. Over time, as the population increased, developments increased as well. Much of California's landscape has been lost to housing/commercial developments and roadways in between. These developments have had an enormous impact on the abundant plants and animal communities that flourished here. Despite all that, there are remaining lands and, if properly planned and maintained, can have a positive impact on the native plants as well as wildlife population. There can still be coexistence between developments and wildlife habitats.




Figure 3-1: California Ecoregions (South Coast Wildlands, 2001)

Because of the developments, fragmentations of the landscape and subsequent habitat loss have occurred. Consequently, biodiversity was negatively impacted. This impact is a worldwide phenomenon, and nowhere is the risk more severe than in South Coast Ecoregion in Southern California (South Coast Wildlands, 2008). To counter these threats, it has become essential to connect all the available open lands and reserves in California to create a corridor for wildlife movements. An interconnected set of open lands and reserves would enable the continuation of natural ecological processes and allow them to thrive as they have done for centuries.

Therefore, various agencies, academic institutions, land managers, planners, conservation organizations, and community groups became involved and developed a comprehensive plan called the South Coast Missing Linkages Project (South Coast Wildlands, 2008). The plan was designed to connect existing reserves to maintain and restore critical habitats. This plan was a highly collaborative effort involving South Coast Wildlands, National Park Services, U.S. Forest Service, California State Parks, The Wildlands Conservancy, The Resources Agency, California State Parks Foundation, The Nature Conservancy, Santa Monica Mountains Conservancy, Resources Legacy Foundation, Conservation Biology Institute, San Diego State University Field Stations Program, Environment Now, Mountain Lion Foundation, and the Zoological Society of San Diego's Conservation and Research for Endangered Species. This project has also been supported by Pronatura Mexico, Universidad Autonoma de Baja California, Terra Peninsular, and Conabio for ecological connectivity from Baja (South Coast Wildlands, 2008).

Habitat linkages proposed by South Coast Missing Linkages have been widely recognized as the foundation of Southern California wildlife conservation strategy. These linkages would connect over 18 million acres (South Coast Wildlands, 2008) of our existing conservation

habitats (national forests, state and national parks, and some privately conserved lands) to form the South Coast Wildland Network. Spanning from the southern Sierra Nevada to Baja California and from the deserts of Anza-Borrego Desert State Park to the beaches of Camp Pendleton, these networks are composed of 19,435,105 acres (94% of which is already protected) and would connect fragmented wildlife habitats (South Coast Wildlands, 2008).



Figure 3-2: Missing Wildlife Linkages (South Coast Missing Linkages, 2008)

These linkages are vital to the eventual protection and restoration of a network where wildlife and nature biodiversity can flourish. This uninterrupted area of mountains and foothills created by this plan would give species like the mountain lion the freedom to roam from the Sierra Nevada to the Sierra Juarez in Baja California Norte.



Figure 3-3: South Coast Missing Linkages (South Coast Missing Linkages, 2008)

One of the linkages identified in the South Coast Missing Linkages project is the **Santa Monica - Sierra Madre Connection**. This linkage has been designated as one of the highest priorities by the South Coast Missing Linkage project to preserve the ecological and evolutionary processes of the California South Coast Ecoregion, considering existing land use pressures and the context of climate change (South Coast Missing Linkages, 2008). This linkage was also identified as the essential linkage by the California Essential Habitat Connectivity Project, commissioned by Caltrans and the California Department of Fish and Wildlife with support from the Federal Highways Administration (California Department of Transportation & California Department of Fish and Game, 2010). This linkage remains one of the few coastal to inland connections in the region. Once established, it will provide an uninterrupted landmass stretching from the Santa Monica Mountains to the rugged landscape of the Santa Susana and the Sierra Madre mountains. Currently, approximately 34% (43,249 of 125,613) of the

linkage provides some level of conservation protection, while



Figure 3-4: Santa Monica - Sierra Madre Connection (South Coast Missing Linkages, 2008)

The rest of the Linkage design includes significant public ownership, which protects natural habitats from development (South Coast Missing Linkages, 2008). This linkage accommodates various habitats and a variety of species and ecosystems, including woodlands, grasslands, savanna, chaparral, riparian forests, and coastal sage scrub. The Santa Monica Mountains, a range in southern California, spans over 153,000 acres and extends east-west for approximately 40 miles, from Point Mugu, north of Santa Monica to Griffith Park, east of Los Angeles, and parallels the north shore of Santa Monica Bay. The area includes rugged coastlines, lush valleys, and craggy mountain peaks ranging from 1,000 to 3,000 feet (National Park Service, 2002).

The Santa Monica Mountains are home to a wide range of mammal species, including shrews weighing less than one ounce and mountain lions weighing up to 150 pounds. (National Park Service, 2002). Although most of the smaller mammals such as squirrels, gophers, mice, rats, rabbits, and insectivores such as bats, shrews, and moles are frequently overlooked, they still play an essential role in the natural ecosystem. They till the soil, disperse seeds and eat insects. These smaller mammals are the food source for other mammalian carnivores, reptiles, and raptors (birds of prey).

Larger mammals, such as some carnivores, typically designate an area in the habitat and call it their home range. They would like to roam within their home range for food, shelter, and to locate mates. They will vigorously defend their home range and keep away animals of the same species and sex. For these species, movement is vital to their survival, including finding new homes, dispersing offspring, or migrating seasonally to find favorable conditions (National Park Service, 2002). This movement is also critical for species to adapt their geographic range in response to climate change, gene flow, and repopulating unoccupied habitats. Disrupting this natural movement can lead to potential loss of species and significant environmental services as it severely inhibits essential ecosystem functions.

As urban development continues within and around the Santa Monica Mountains, fragmentation of the natural habitat occurs due to the roads, extensive highways, which significantly impact the survival and movement of wildlife, especially true for mammalian carnivores. They will have difficulties finding suitable home ranges, and it creates barriers between populations and individuals.

Aside from the road itself, road effects also significantly affect other aspects such as the spread of exotic species, increases in human pollution, light, noise, fire, roadkill, and the disruption of animal movement. These roads also affect smaller populations prone to local extinction as they fragment large habitat areas. (Riley, 2003).

Unlike roads, urban developments produce movement barriers that cannot be effectively mitigated, removed, or restored. This urbanization has many impacts, including the spread of non-native vegetation, artificial night lighting inhibiting night movement, removal of native vegetation, noise, pesticides/rodenticides, pollution, competition amongst other wild animals, and altered patterns of water sources.

The Santa Monica Mountains, once a contiguous mountain range and a thriving ground for the mammals such as mountain lions, bobcats, gray foxes, was fragmented when the US-101 highway was built in the 1970s. This Freeway runs north-south primarily in California and is a heavily traveled commuter route serving the Greater Los Angeles Area, connecting Los Angeles and Ventura Counties. The Freeway helped create sprawled developments in the Santa Monica Mountains region. US-101 is an eight-lane freeway that runs east-west while passing through the City of Agoura Hills, bisecting the Santa Monica Mountains to the south from the Simi Hills and Santa Susana Mountains to the north.

For many wildlife species, including mule deer, mountain lions, bobcats, gray foxes, and coyotes, the US-101 is an almost impenetrable barrier, prohibiting their movement between these two mountain ranges. Animals such as mountain lions and bobcats need large, contiguous habitats to breed, hunt and thrive. Mountain lion males use about 200 square miles as their home range (National Park Services, 2016). The US-101 has impenetrably divided this

connected habitat into two separate fragments and has significantly impeded their ability to move between two mountain ranges. This has resulted in increased inbreeding, territorial fighting, and very low genetic diversity for mountain lions. Researchers, in March 2020, found three mountain lions with tails kinked like the letter "L" and with only one descended testicle, a physical manifestation of extremely low genetic diversity. The abnormalities are called Cryptorchidism When one or both testes fail to descend from the abdomen into the scrotum. This causes infertilities among mountain lions (Los Angeles Times, 2020).

Mountain lions
could face



Figure 3-5: A male with reproductive and “L” Shaped tail defects (NBC Los Angeles, 2020)

extinction within 50 years with a median time to extinction of just 15 years in the Santa Monica Mountains due to fragmented landscape, according to research conducted by the National Park Service since 2002 (Benson, J. F., 2016), and (Riley, S. P., 2014). A recent report by the U.C. Davis Road Ecology Center identified the 101 Freeway around the wildlife crossing as one of the Statewide Wildlife-Vehicle Conflict Hotspots (Shilling, F., 2018).

This connectivity is also vital for other species such as bobcats and coyotes, exhibiting significant genetic effects with increased disease susceptibility since the Freeway was built

according to National Park Service data (Serieys, L. E. K. (2015). This data also shows that smaller species such as lizards and birds are adversely affected as well. These species are practically entrapped within the Santa Monica mountains without access to a safe and sustainable wildlife crossing.

Therefore, researchers at the South Coast Missing Linkages recommended the linkage to be developed over US-101, near Liberty Canyon Road. A recently released report published in March of 2018 summarized some of the world's foremost experts' recommendations on crossing structures and wildlife connectivity and pairs them with data and characteristics surrounding landscape and wildlife to prioritize locations for wildlife crossings. Their findings showed that the Liberty Canyon site would be the best location to improve connectivity in that region and would be the best possible solution for serving the broadest range of species. (Riley, S. P., 2018). This is the only site where the wildlife habitats extend to the edge of both sides of the US-101 Freeway (Los Angeles Times, 2020). Also, this is the least cost alternative since no land purchase are required to connect the habitats.




Figure 3-6: Project Location Map(Courtesy: Google)




Figure 3-7: Project Location Map Enlarged (Courtesy: Google)




Figure 3-8: Project Location showing Protected Lands.

The existing underpass at the Liberty Canyon Road facilitates various levels of animal movement across this Freeway. It provides connectivity for mountain lions and badger, deer, coyotes, and raccoons to some degree (Ng et al. 2004). However, both the South Coast Missing Linkages Project and the California Essential Habitat Connectivity Project recommended a different bridge over US-101 to

1. safeguard against edge effects,
2. provide live-in habitat for specific species that require multiple generations to achieve gene flow through the linkage,

3. guarantee availability of vital resources,
4. allow for the continuation of natural processes,
5. allow species and natural communities to react to climate change appropriately and
6. avoid potential collisions between vehicular traffic and animals.

Also, the Liberty Canyon area is the optimal location for a safe and sustainable wildlife crossing across US-101 since this location's prime habitat is connected to large areas of protected habitat to the north and south and has already been protected on both sides of the Freeway, which makes it a feasible and low-cost solution for connectivity within the



Figure 3-9: Architectural Rendering of the Bridge and the Tunnel

Santa Monica Mountains. Therefore, it was determined that this bridge would be a vegetated bridge to resemble the natural habitat on both sides of the Freeway.

CHAPTER 4

4. PROJECT DESCRIPTION

All probable project alternatives were analyzed to determine their ability to facilitate movement of each target species (Clevenger, 2011) and then the results of this analysis were used to determine which alternative would be best suited for the wildlife movement in this area. As the Agoura Road runs parallel to US-101 within the study area, the ability of each target species to cross Agoura Road were also taken into consideration.



Figure 4-1: Target Species for the Wildlife Crossing (courtesy: Living Habitat)

Alternative 1 is to build an overcrossing over US-101 and associated fencing along US-101, west of Liberty Canyon Road, in the City of Agoura Hills. The wildlife fencing and vegetation will be designed to guide wildlife to the overcrossing and prevent access to the freeway. This alternative does not include any crossing over the Agoura Road, a parallel

roadway to the south of US-101. It is anticipated that this Alternative to facilitate the movement of five of the eight target species across US-101, allowing these species to move between the Santa Monica Mountains and the Simi Hills, are shown below.

Table 4-1: Modified Analysis of Target Species Ability and Willingness to Use Alternative 1
(Caltrans, 2016)

Common Name of Species	Scientific Name	Species Able to use Alternative 1	Rationale
Bobcat	<i>Lynx rufus</i>	Yes	Bobcats are expected to use the wildlife overcrossings over US-101. They have the physical capabilities and willingness necessary to cross Agoura Road at-grade.
Coyote	<i>Canis latrans</i>	Yes	Coyotes are expected to use US-101 wildlife overcrossings. They have the physical capabilities and willingness necessary to cross Agoura Road at-grade.
Desert Cottontail	<i>Sylvilagus audubonii</i>	Yes	The US-101 overcrossing structure is able to accommodate the cover needs of the desert cottontail to use. It is also anticipated that cottontail could successfully cross Agoura Road on a routine basis based on their physical

			capabilities and behavioral responses to roads.
Mountain Lion	<i>Puma concolor</i>	Yes	Mountain lions are expected to use wildlife overcrossings. They have the physical capabilities necessary to cross Agoura Road at-grade.
Mule Deer	<i>Odocoileus hemionus</i>	Yes	Mule deer are expected to use wildlife overcrossings. Mule deer have the physical capabilities necessary to cross Agoura Road at-grade.
Southern Alligator Lizard	<i>Elgaria multicarinata</i>	No	The overcrossing structure can accommodate the needs of the southern alligator lizard, but it is not anticipated that they could successfully cross Agoura Road on a routine basis based on their physical capabilities and behavioral responses to roads.
Gopher Snake	<i>Pituophis catenifer</i>	No	Gopher snakes are expected to use wildlife overcrossings, with the inclusion of native vegetation and non-vegetated cover. However, it is not anticipated that they could cross the Agoura Road at-grade on a routine basis based on their

			physical capabilities and behavioral responses to the roads.
Western Toad	<i>Anaxyrus boreas</i>	No	Western toads are expected to use wildlife overcrossings, however, not anticipated to cross Agoura Road on a routine basis because of their physical capabilities and willingness necessary to cross Agoura Road at-grade.

Alternative 1 is anticipated to decrease habitat fragmentation as well as genetic differentiation by providing a connection between the wildlife habitat north and south of US-101. Since the proposed overcrossing would increase the connectivity of existing wildlife habitat and conserved lands, it would increase the ability of five of the eight target species to adapt to the effects of climate change (Caltrans, 2016). The ability to move and adapt to changing conditions and resource availability is critical to increasing wildlife species resiliency to climate change.

Although the wildlife overcrossing and associated wildlife fencing is anticipated to reduce the risk of wildlife mortality on US-101 for all target species, there is a potential for increased wildlife mortality on Agoura Road. Though the possibility for wildlife mortality on Agoura Road already exists and wildlife have been observed attempting to cross Agoura Road, it is anticipated that the potential for wildlife mortality on Agoura Road may increase as more wildlife would attempt to access the proposed overcrossing over US-101 (Caltrans, 2016).

At the proposed project location, Agoura Road is classified as a Secondary Arterial Road in the City of Agoura Hills General Plan (Adopted March 2010). The road has one travel and bicycle lane in each direction and has a posted speed limit of 45 miles per hour. Traffic volume data collected by the City of Agoura Hills in 2016 recorded a daily traffic volume of 5,039 cars per day on Agoura Road between Liberty Canyon Road and Cheseboro Road. According to the Federal Highway Administrations Standard Traffic Volume Groups, Agoura Road falls into Group 4. This traffic volume is considered a high traffic volume and was found to be both a barrier to wildlife movement for some species and a source of mortality for all classifications of wildlife species (Jacobson, S. L., 2016).

Alternative 2 includes all the features described in Alternative 1 with the addition of a tunnel over Agoura Road, and fill and grade the slope area between the US-101 overcrossing and the Agoura Road tunnel to provide a continuous grade allowing the wildlife crossing to extend over Agoura Road, before descending to join the existing ground. It is anticipated that this alternative to facilitate the movement of all target species across US-101, as shown below.

Table 4-2: Analysis of Target Species Ability and Willingness to Use Alternative 2 (Caltrans, 2016)

Common Name of Species	Scientific Name	Species Able to use Alternative 2	Rationale
Bobcat	<i>Lynx rufus</i>	Yes	Bobcats are expected to use the wildlife overcrossings over US-101 as well as the tunnel over Agoura Road.

Coyote	<i>Canis latrans</i>	Yes	Coyotes are expected to use the wildlife overcrossings. They are expected to cross the Agoura Road tunnel.
Desert Cottontail	<i>Sylvilagus audubonii</i>	Yes	Cottontails are expected to cross the overcrossing and the tunnel if appropriate cover is provided throughout the length of the overcrossing
Mountain Lion	<i>Puma concolor</i>	Yes	Mountain lions are expected to use wildlife overcrossings as well as the Agoura Road tunnel.
Mule Deer	<i>Odocoileus hemionus</i>	Yes	Mule deer are expected to use wildlife overcrossings and the Agoura road tunnel.
Southern Alligator Lizard	<i>Elgaria multicarinata</i>	Yes	Southern alligator lizard is anticipated to use the UA-101 overcrossing and the Agoura Road tunnel.
Gopher Snake	<i>Pituophis catenifer</i>	Yes	Gopher snakes are expected to use wildlife overcrossings and the tunnel.
Western Toad	<i>Anaxyrus boreas</i>	Yes	Western toads are expected to use wildlife overcrossings and the tunnel.

Alternative 2 would facilitate movement across US-101 and Agoura Road for all target species, as opposed to Alternative 1. It is also anticipated that the extension of the US-101 overcrossing over the Agoura Road to result in an increase in use of the overcrossing,

as compared to Alternative 1, by eliminating the need to cross a road (Agoura Road) with active traffic. By providing an extension of the overcrossing over this adjacent secondary road, wildlife will be able to access the open space and habitat on both sides of US-101 without the danger or detriment of having to cross an additional road. This alternative would also minimize the risk of wildlife mortality on Agoura Road, contrary to Alternative 1.

Two additional alternatives were also evaluated during the development of the proposed project. However, they were not included as Alternatives based on the initial evaluations and recommendations from the team comprised of Caltrans, National Park Services (NPS), Resource Conservation District of the Santa Monica Mountains (RCDSMM), Mountain Recreation and Conservation Authority (MRCA), National Wildlife Federation (NWF), and others. These tunnel alternatives were evaluated to determine their ability to meet the purpose and need of the project as well as their impact on the wildlife movement across US-101. The results of the evaluation are summarized below.

JACKED BOX CULVERT (13-FOOT BY 13-FOOT)

One of the options considered, but not recommended as an alternative for this project, was a 13-foot by 13-foot jacked box (example shown on Figure 11) culvert of over 300 feet in length that would serve as a wildlife crossing under US-101. Though a culvert of this size would physically provide a connection for wildlife to travel between the open spaces on either side of US-101, the number



Figure 4-2: Culvert on State Route 76 Corridor, San Diego

of species that this culvert has the potential to serve is limited. Guidance for wildlife crossing structures generally recommend wildlife crossing structures minimize their length and maximize their width, as longer structures have shown to repel some species (Cramer, 2012; & Clevenger, 2011). The lack of native vegetation and cover within a culvert eliminates the ability of the crossing to serve as an extension of natural habitat and reduces the number of species that would utilize the crossing. Additionally, as with Alternative 1, this culvert could potentially increase wildlife mortality on Agoura Road as species attempt to utilize the wildlife undercrossing.

A 13-foot by 13-foot jacked box culvert has the potential to reduce genetic differentiation and wildlife mortality on US-101 for some target species including medium and large mammals (e.g., mountain lions, bobcats, and coyotes) and the amphibian target species (western toads) but is unlikely to provide a functional crossing for ungulates, small mammals, reptiles, and avian species, such as desert cottontail, mule deer, and southern

alligator lizards (Cramer, 2012; & Clevenger, 2011). For these reasons, this alternative was removed from further consideration for the proposed project.

CAST-IN-PLACE RECTANGULAR CULVERT (32-FOOT WIDE BY 15-FOOT HIGH)

Another option that was considered, but not recommended as an alternative for this project, was a 32-foot (wide) by 15-foot (high) cast-in-place rectangular culvert (example



Figure 4-3: Culvert on Highway 17, Santa Clara Co., CA

shown on Figure 12) that is over 300 feet in length. This culvert also prohibits the planting of native vegetation within the structure. Therefore, although it has the potential to serve more target species, it is unlikely to provide a functional

crossing for desert cottontail, southern alligator lizard and gopher snake (Cramer, 2012; & Clevenger, 2011). As with Alternative 1 and the smaller culvert, this alternative also has the potential to increase wildlife mortality on Agoura Road for species that utilize the culvert to cross US-101.

Additionally, constructing a cast-in-place culvert of this size would require using a cut-and-cover technique which would require extensive closures of US-101, one of the busiest freeways in the region, carrying over 304,000 vehicles daily. It also serves as one of the primary connections between Los Angeles and Ventura county. For these reasons,

this alternative was removed from further consideration for the proposed project.

A recent camera study conducted at the underpass (1,100 feet in length, 15 feet in height and 25 feet wide) under the I-5/405 interchange in Orange County (Kevin, K., et al, 2016) shows that mammals such as bobcats, coyotes were reluctant to enter the underpass. Their activities were highest at the far end of the underpass connected to the natural areas. The length of the underpass, lack of cover or elevated structures to hide from predators, human use of the underpass, and potentially the extreme darkness in the middle of the underpass may pose challenges for the wildlife movement.

Based on the above analysis, Caltrans, in collaboration with other Partners (RCDSMM, MRCA, NPS and NWF), decided to choose Alternative 2. It will accommodate all the target species, increase the overall attractiveness of the crossing to wildlife and minimize repellency rates. Repellency is defined as instances where wildlife approach crossing entrances and then turn around and walk away (Cramer, P., 2012).

Following factors were considered in determining the appropriate structures over US-101 and Agoura Road as well as the slope and landscaping in between these two structures. WILDLIFE CROSSING STRUCTURE HANDBOOK: Design and Evaluation in North America (Clevenger & Huijser, 2011), prepared for the Federal Highway Administration (FHWA), was used as a guide. Other existing wildlife crossings were also evaluated to help guide in determining the appropriate crossing.

Length and Width of the structures:

Length of the overcrossing over US-101 will be approximately 216 feet to cross the US-101 at this location. Width of the overcrossing was determined to be 165 feet based on the recommendation by the Wildlife Crossing Structure Handbook as well as the physical constraints of the crossing site location. The Handbook recommends a width of 165 to 230 feet for wildlife overcrossing to serve similar types of species. The height of the bridge was decided to be 16.5 feet, the minimum bridge vertical clearance on a freeway allowed by Caltrans.

The length of the Agoura Road tunnel was determined to be approximately 165 feet to match the width of the US-101 overcrossing, in order to have a continuous slope in between these two structures. Width (54 feet) and height (16.5 feet) of the tunnel interior was recommended by the City of Agoura Hills since the Agoura Road is under the jurisdiction of the City.

Slopes:

The slope gradient of the approach slopes to the structures as well as in between the structures were limited due to the surrounding topography and the height difference between the two structures. However, it is proposed to keep the slope at a rate of 3:1, or flatter, in order to maximize the structures usability. It is observed that some animals are reluctant to traverse a slope gradient steeper than 3:1 (Clevenger & Huijser, 2011).

Sightlines

The overcrossing is intended to be an extension of the surrounding natural habitat

and by minimizing the slope gradient of the approach slopes, animals would be able to see farther ahead. Therefore, the ability of wildlife to see clearly through or beyond a crossing structure increases the effectiveness of the structure for most wildlife species. In order to preserve sightlines to the greatest extent feasible, the overall height of the structure and the steepness of the approach slopes would be minimized. Density of vegetation was also taken into consideration in order to strike a balance between providing cover and maintaining visibility/sightlines across the structure. Following is the architectural rendering of the proposed project, when completed.



Figure 4-4: Architectural Vision of the proposed project

Light/Sound barriers for the Overcrossing

Earth has a daily cycle of light and dark, and plants and animals depend on that cycle for their life-sustaining behavior such as nourishment, reproduction, sleep and protection from predators (International Dark-Sky Association, March 2010). If this cycle is disrupted by artificial lights, research suggests that it can have

negative effects on natural ecosystems including wildlife. Some nocturnal animals sleep during the day and hunt during the night under the cover of darkness. When this cycle gets interfered with, there life cycle gets disrupted which can lead to malnourishment and affect reproduction. Since this proposed overcrossing is in an urban area and



Figure 4-5: Busy Freeway at Night (Courtesy: Google)

crossing over 8-lanes freeway, light pollution from streetlights and headlight glares from the passing vehicles would pose an issue.

Just like light pollution, noise pollution has similar effect on the wildlife. It can interfere with their communication, hinder their foraging abilities and impact where they live. Research shown that noise pollution, known as anthropogenic noise, caused by vehicles, sound from cities and other sources can cause significant issues to the wildlife.




Figure 4-6: Bobcat Presence VS. Noise intensity (Courtesy: UC Davis)

Research conducted by the Road Ecology Center at the University of California at Davis (2021) shows that the presence of bobcats diminishes as the noise increase.

Noise due to the Freeway traffic were measured at various points around the project site by the Road Ecology Center and it shows that the noise intensity is the highest close to the




Figure 4-7: Sound Intensity at the Proposed Overcrossing

proposed overcrossing and diminishes away from the crossing. Therefore, it is imperative to mitigate wildlife disturbances from both the light and sound pollution around this overcrossing to make it more conducive for animals willing to cross.

Several measures have been recommended including vegetated sound walls on the bridge and vegetated gabion walls and berms at the side of the Freeway, leading up to the overcrossing. Once sound waves meet these barriers, some would reflect, some gets absorbed, some transmits through, and the rest goes above the barrier and refracted. Other conventional strategies were also proposed such as incorporating vegetated buffers to provide sound attenuation. Various sound treatments would be applied under the overcrossing, such as textured concrete panels, insulations, and textured metal panels to mitigate the sound impact. In order to reduce wildlife impact from light sources, several measures

were also incorporated including using lighting shield to reduce light intensity, usage of high-pressure sodium lamps for less focused, wider spread and yellow light, and lower streetlight height and increase pole frequency to maintain level of required roadway illumination.

Substrate:

The overcrossing would have natural substrate covering the deck and deep enough to support native vegetations. Logs, stumps, and boulders would be scattered around to mimic similar topography from the surrounding habitats as well as making the crossing more appealing for some wildlife species.

Native Vegetation Plan:

Since this overcrossing is intended to be an extension of the surrounding natural habitat that blends into the surrounding hillsides, the overcrossing and approach areas will be planted with vegetation native to this region of the Santa Monica Mountains (Table below). This will serve to provide cover for cover obligate species, landing spots for aerial species, and to increase the effectiveness of the crossing to all species.

**Table 4-3: Planting Palette Recommendations
(Caltrans, 2016)**

Common Name	Scientific Name
California Sagebrush	<i>Artemisia californica</i>
Coyote Bush	<i>Baccharis pilularis</i>
Mulefat	<i>Baccharis salicifolia</i>
Toyon	<i>Heteromeles arbutifolia</i>

California Black Walnut	<i>Juglans californica</i>
Western Sycamore	<i>Platanus racemosa</i>
Coast Live Oak	<i>Quercus agrifolia</i>
Valley Oak	<i>Quercus lobata</i>
Elderberry	<i>Sambucus mexicana</i>
Arroyo Willow	<i>Salix lasiolepis</i>
Narrow Leafed Willow	<i>Salix exigua</i>
California Blackberry	<i>Rubus ursinus</i>
Purple Sage	<i>Salvia leucophylla</i>
California Wild Rose	<i>Rosa californica</i>
Sugar bush	<i>Rhus ovata</i>

Non-Vegetated Cover:

As the overcrossing is expected to be used by the cover obligated species and aerial species, the overcrossing structure will need to include elements that provide suitable cover and habitat for these animals. A mix of woody debris and boulders should be mixed with native vegetation to serve as steppingstones to minimize the exposure for cover obligates species and to give aerial species landing spots. These steppingstones should extend onto the approach slopes and habitat surrounding the overcrossing as well as on the structure.

Wildlife Fencing:

Wildlife fencing along US-101, from Lost Hills Road to Palo Comado Canyon Road, is needed to prevent wildlife from accessing the freeway and to direct wildlife toward the crossing. Some species can avoid fencing by climbing over, or digging under. Therefore, the fencing would have a minimum height of eight feet above ground with an additional two feet buried below ground or staked to the ground.

Taller fencing may be needed on slopes. Vegetation in the area between the fencing and the freeway should be minimized to discourage wildlife to try to cross over the fence.

CHAPTER 5

5. CHALLENGES AND BENEFITS

As the population grows in California, housing and industrial development follow. Because of this continuous development, more and more lands are being taken away from the already diminished wildlife habitats. As a result, the remaining wildlife habitats have been fragmented further into smaller habitats. This resulted in subsequent habitat loss creating a negative impact on biodiversity.

Therefore, to counter these threats, it became necessary to connect all the available open lands in California to create a network for wildlife movements. Subsequently, the South Coast Missing Linkages (South Coast Wildlands, 2008) project was developed to establish a regional network to maintain and restore critical habitat linkages between existing reserves. The Linkages would stitch together over 18 million acres of our existing conservation to form the South Land Wildland Network. The Network would connect wildlife populations from the southern Sierra Nevada to Baja California and from the beaches of Camp Pendleton eastward to Anza-Borrego Desert State Park (South Coast Wildlands, 2008). The unbroken chain of mountains and foothills envisioned by the South Coast Wildland Network will allow wide-ranging species like the mountain lion and mule deer to roam from the Sierra Nevada to the Sierra Juarez in Baja California Norte.

Among the linkages, the South Coast Missing Linkages project identified the Santa Monica Mountains - Sierra Madre Mountains linkage as the most critical linkage (South

Coast Missing Linkages, 2008) because of the existence of the wide-ranging population of wild animals as well as one of the very few coastal to inland connection. This linkage was severed in the early 1970s to build the US-101 Freeway, leaving large protected public land on both sides of the Freeway. Therefore, this location became the most logical and economical way to establish the linkage again. As previously stated in this document, based on the expert's opinion, an overcrossing over US-101 was envisioned to be the most effective way to connect two mountain ranges for the wildlife. This 165' wide and over 210' long vegetated bridge would blend seamlessly with the surrounding landscape, giving it the appearance of the extension of those mountain ranges.

However, constructing an overcrossing of this magnitude poses multiple challenges. First and foremost is the funding. Since this project neither has any direct traffic benefit rendered, nor environmental mitigation for Freeway related projects, it did not qualify for any State and Federal funding for a hefty, estimated construction cost of approximately \$88 million. Therefore, the only option that remains is to find private donations. As a result, the task was taken up by the National Wildlife Federation (NWF), the largest private, non-profit conservation education and advocacy organization in the US. The donations have been coming in from large organizations and private parties, and Caltrans is on track to break ground to start construction by the end of the year 2021.

Wildlife crossing requires a high level of collaboration across agencies and jurisdictional boundaries. In this case, it would be between Caltrans, Mountain Recreation and Conservation Authority, Santa Monica Mountain Conservancy, and National Park Services. In addition, since this overcrossing would be built in a highly populated area, it

was also imperative to have full support from the residents. Although the residents around the proposed overcrossing are accustomed to the mountain lions and other wildlife due to their proximity to the conserved land, however, they were still reluctant to see a wildlife bridge of this dimension close to their neighborhood. They were concerned about this bridge's visual impact and whether it would invite more wildlife into their neighborhood.

The biggest hurdle was to find the proper location considering the cost savings, topography, road dimensions, vegetation, exposure, and climate condition of the site, as well as the surrounding land use, disturbances, and development. Functionally speaking, the project spans one of the busiest freeways in the nation, the major thoroughfare connecting two large counties: Los Angeles and Ventura County. With over 300,000 vehicles passing the future bridge location in a given day, the technical challenges of such a large structure are made all the more challenging by the desire to reduce the impact to this busy thoroughfare during construction. At ten lanes of traffic, the span of the bridge structure across the roadway will be over 216 feet. To achieve this large over-roadway span without closing the Freeway, we are using an innovative precast concrete solution that will enable us to build with a significantly reduced impact on the flow of the 101. Additionally, to increase the efficacy of this overcrossing, headlight glares and noises from the busy Freeway will have to be mitigated. The City of Agoura Hills and the residents were also skeptical about the sightliness of the bridge.

The benefit of this significant undertaking is multifaceted. High traffic roadways such as

US-101 become a complete barrier for wildlife movement between previously stated mountain ranges. It increases wildlife-vehicle collisions, and thus increases animal




Figure 5-1: Benefits to the wildlife

mortality as well as poses a significant threat to the motorist's safety. From 1990 to 2008, while the overall number of collisions on the roadway in the US decreased, the number of wildlife-vehicle collisions doubled (ARC Solutions, 2017). Nationally, over 5% of all accidents involve wildlife, costing society nearly \$8.4 billion (Shilling, 2018). Since 2002, motorists have struck and killed many big cats in the study area (ARC Solutions, 2017). These numbers could be even higher since not all accidents get reported. Therefore, having a wildlife crossing here would reduce animal mortality as well as increase motorist's safety. Wildlife crossing structures designed to provide safe passage for wildlife, coupled with fencing, have reduced wildlife-vehicle collision by 97% (ARC

Solutions, 2017), thus lowering the many costs to the society. Safer highways can also create a sense of motorist's well-being and lessened worry when driving.

Recognized as one of thirty-six biodiversity hotspots globally and one of only two in the continental United States, the Santa Monica Mountains are home to more than 50 threatened or endangered plants and animals (South Coast Wildlands, 2008). As has been noted previously, it is quite well known that the project represents an opportunity to provide connectivity in support of the endangered California Mountain Lion population which are believed to be extinct in the next 50 years with a median time to extinction of just 15 years due to the lack of genetic diversity (Benson, J. F., 2016), and (Riley, S. P., 2014). Large mammals like mountain lions require a large swath of land for hunting and breeding. This bridge would establish that critical link between the Santa Monica Mountain range and the Santa Susana Mountain and Simi Hills, thus providing miles of open land for the mountain lions to roam, hunt, and find mates for breeding. It will help safeguard against edge effects, guarantee the availability of vital resources, allow for the continuation of natural processes, and allow species and natural communities to react to climate change appropriately. As previously stated, fragmented and smaller habitat causing mountain lions to inbreed and subsequent genetic deformation due to the lack of genetic diversity.

CONCLUSION:

Wildlife overpasses and underpasses are not new, and they are, in fact, are popular in Canada, Europe, and Africa, such as 'wildlife overpasses in Banff National Park in Canada,' Natuurbrug Zanderij Crailoo in Netherland and elephant underpasses in Northern Kenya, to name a few. Wildlife crossings are usually structures that help animals safely cross human-made barriers, and they include primarily tunnels, culverts, viaducts, overpasses, fish ladders, canopy bridges, green roofs, and green bridges.

While the number of wildlife crossings has been built or under consideration across the world, they are thoughtfully located in rural areas along transportation corridors, both in the US and beyond, where large amounts of open space or existing habitat sit adjacent to the roadway. In those circumstances, the emphasis is primarily on reducing vehicle-animal collisions, preserving wildlife mobility, migratory routes, and protecting both animal and human travelers. While these are indeed the goals with the Wildlife Crossing at Liberty Canyon, the critical need for expanding the genetic diversity of certain species and preserving one of the most important animals in the California ecosystem is emphasized.

The crossing will also be in a particularly unique location on the edge of one of the most densely populated urban areas in the United States; from an ecological perspective, the site is one of the most important in the nation. The Santa Monica Mountains is recognized as one of thirty-six biodiversity hotspots globally and one of only two in the continental United States, having more than 50 threatened or endangered plants and

animals (South Coast Wildlands, 2008). As has been noted previously, the project represents an opportunity to provide connectivity supporting the endangered California Mountain Lion population, with the infamous P-22 as its mascot and champion. Further still, the project serves as a conduit for ecological health at all levels enabling the reconnection of an entire ecosystem at this critical location between Santa Monica's and the Simi Hills. The region is home to several endangered plants as well as animals. As such, the project offers a focused opportunity to support both, providing a comprehensive response to ecological health. To do this effectively, we have embraced an integrated design process, another unique element of the project, where decisions about the physical structure and its elements are considered in the context of landscape performance and habitat efficacy.

Another unique aspect of this project is that this project will be funded primarily from private donation. Also notable is the incredible collaboration between partners. For nearly twenty years, the National Park Services (NPS) has studied the region's wildlife, bringing attention to this critical need. Through the collaboration between NPS, Caltrans, The Santa Monica Mountain Conservancy, the Mountain Recreation and Conservation Authority, The Resource Conservation District of the Santa Monica Mountains, and the National Wildlife Federation, this project is indeed possible. In addition, it has brought in experts on wildlife crossings from all over the world.

The wildlife crossing at Liberty Canyon is a once-in-a-lifetime project for the next century

that will save a threatened population of mountain lions and revolutionize the possibilities for wildlife conservation around the globe. This project is unprecedented in both scale and visibility— more than 300,000 vehicles a day will drive under its span. Covering eight lanes of traffic and an access road, the estimated 216 foot long by 165-foot wide structure will also rank as the largest in the world once built and the first freeway crossing in California. By building a wildlife crossing in the last 1,600 feet in the area that possesses protected land north and south of the US-101—this project will re-establish a critical connectivity path in the Santa Monica Mountains and link to critical open space to the north in like the Simi Hills, Santa Susana Mountains, the over 2,700 square miles of Los Padres National Forest, and many more thousands of square miles of habitat beyond (South Coast Wildlands, 2008).

The world is already watching this wildlife crossing project, the first to attempt a large-scale intervention for wildlife in such an urban setting —the greater Los Angeles metropolitan area is the most densely populated in the United States and is home to 20 million people. It has been featured on numerous news media, including National Geographic Magazine, New York Times, Los Angeles Times, Associated Press, to name a few. The area research conducted by the National Park Service on mountain lions and other wildlife are already unprecedented. However, with the addition of the crossing, the study will provide landmark science that will set a model worldwide for urban wildlife conservation and help inform future efforts. It has renewed the urgency to keep our wildlife from going extinct because of urban development and shows that animals and humans can coexist.

Creating a transportation system capable of coexisting with nature is imperative to the survival of our ecosystem and has already been developed in our policies and direction.

Current U.S. transportation law provides explicit authority for federal, state, municipal, and local authorities to reduce the number of motorist collisions with wildlife and ensure connectivity among habitats disrupted by roads. It also requires state and metropolitan long-range transportation plans to address potential environmental mitigation. It permits planners to develop programmatic mitigation plans at various scales encompassing multiple resources, such as wildlife habitat or aquatic resources.

Appendix A - Project Partners and Stakeholders

Caltrans

Mountains Recreation and Conservation Authority

Resources Conservation District of the Santa Monica Mountains

National Park Service

National Wildlife Federation

Assemblymember Richard Bloom

California State Coastal Conservancy

City of Agoura Hills

City of Calabasas

Congressmen Ted Lieu


Los Angeles County Supervisor Sheila Kuhl

State Senator Henry Stern

Appendix B - Project Location, Limits and Alternatives




Site of the Wildlife Crossing



Project Limits



Biological Study Area (BSA) Map




Alternative 1: Proposes to construct a 165-foot wide by 200-foot long bridge across US-101, immediately west of Liberty Canyon Road.




Alternative 2: Proposes to construct a 165-foot wide by 200-foot long bridge across US-101, immediately west of Liberty Canyon Road, and a 200-foot long by 54-foot wide by 16.5-foot high tunnel over Agoura Rd.

Appendix C - Project Design




General Plan







Typical Structure Section




Landscape Site Sections




Soils Plan



Landscape Layout Plan




Planting Plan




Green Terramesh Gabion Wall (Vegetated Face)



Terramesh Gabion Wall (Rock Face)



Retaining Wall Cross Section (Rock Face & Vegetated Face)



Proposed Fencing and Wall Modifications



Architectural Rendering of the Bridge with the Gabion Walls (Sound Walls)



Architectural Rendering of the Bridge



Architectural Rendering of the Bridge

References

Abson, R. N.; Lawrence, R.E. (2003). *Monitoring the use of the Slaty Creek Wildlife Underpass, Calder Freeway, Black Forest, Macedon, Victoria, Australia*. Proceedings of the 2003 International Conference on Ecology and Transportation. Lake Placid, NY. pp.303-308.

ARC Solutions, 2017, *Highway crossing structures for wildlife: Benefits of a national commitment to increase driver and animal safety*.

Bank, F. G.; C. L. Irwin; G. L. Evink; M. E. Gray; S. Hagood; J. R. Kinar; A. Levy; D. Paulson; B. Ruediger; R. M. Sauvajot; D. J. Scott; P. White (2002). *Wildlife habitat connectivity across European highways (Report)*. U. S. Department of Transportation: Federal Highway Administration. pp. 1-45.

Benson, J. F., Mahoney, P. J., Sikich, J. A., Serleys, L. E., Pollinger, J. P., Ernest, H. B., & Riley, S. P. (2016). *Interactions between demography, genetics, and landscape connectivity increase extinction probability for a small population of carnivores in a major metropolitan area*. Proceedings of Royal Society B, 283:20160957.

Caltrans, (2016), *Wildlife Connectivity Evaluation*.

Caltrans, (2017), *Liberty Canyon Wildlife Crossing IS-EA*.

Caltrans, (2018), *Project Report*.

Chilson, P. (June 2003). *Cutting Edge: Right of way*. Audubon. Archived from [the original](#) on 2012-07-22.

City of Agoura Hills. (Adopted March 2010). *General Plan Update*.

Clark, K., Ferree, K., & Michels, E., (2019). *Irvine Spectrum Wildlife Corridor Camera Monitoring Project*. Prepared for Laguna Greenbelt, Inc.

Clevenger, T. (2007). *Highways through habitats: The Banff Wildlife Crossings Project*. Transportation Research News. 249: 14-17.

Clevenger, T., & Huijser, M. P. (2011). *Wildlife Crossing Structure Handbook, Design and Evaluating in North America*. Montana State University, Western Transportation Institute, Bozeman, MT.

Cramer, P. (2012). *Determining Wildlife Use of Wildlife Crossing Structures Under Different Scenarios*. Utah State University, Department of Wildland Resources and Utah Transportation Center.

Danby, D. (2004). *A Green Latticework*. Worldchanging.com.

Debczak, M. (2020). *7 Animal Crossings Around the World*

Delaney, K. S., Riley, S., & Fisher, R. N., (2010). *A Rapid, Strong, and Convergent Genetic Response to Urban Habitat Fragmentation in Four Divergent and Widespread Vertebrates*.

Finn, G. (2020); Mountain Lion Abnormalities Signal 99.7% Chance of Extinction in Next 50 Years. Malibu Times, 2020.

Florida Fish and Wildlife Conservation Commission (2021), *Wildlife Crossings*.

Foster, M. L.; Humphrey, S. R. (1995). *Use of highway underpasses by Florida panthers and other wildlife*. Wildlife Society Bulletin. **23** (1): 95-100.

Grift, E. A., Ree, R., Fahrig, L., Findlay, S., Houlahan, J., Jaeger, J., Klar, N., Madrinan, L., & Olson, L., (2013). *Evaluating the Effectiveness of road mitigation measures*. Biodiverse Conserv (2013) 22:425-448.

Hardy, A., (2003). *An overview of methods and approaches for evaluating the effectiveness of wildlife crossing structures: emphasizing the science in applied science*.

Haas, C. D. (2000). *Distribution, relative abundance, and roadway underpass responses of carnivores throughout the Puente-Chino Hills* (Master Thesis). California State Polytechnic University.

International Dark-Sky Association (March 2010). *Light Pollution Effects on Wildlife and Ecosystems*.

Jacobson, S. L. (2016, July). Using wildlife to assess barrier effects to wildlife from highways. *Presentation at Advanced Approaches to Wildlife and Highway Interactions*. Sagehen Field Station. Truckee, CA.

Jacobson, S. L., Bliss-Ketchum, L. L., De Rivera, C. E., & Smith, W. P. (2016). *A behavior- based framework for assessing barrier effects to wildlife from vehicle traffic volume*. Ecosphere, 7(4): e01345. doi:10.1002/ecs2.1345

Los Angeles Times (2020). *Deformities linked to inbreeding discovered among cougars in the Santa Monica Mountains*.

Lyren, L. M. (2001). *Movement patterns of coyotes and bobcats relative to road underpasses in Chino Hills of southern California* (Master Thesis). California State Polytechnic University.

Lyren, L. M., Riley, S., Crooks, K., & Boydston, E., (2010). *Urban Carnivores*.

Mario Theriault, *Great Maritime Inventions 1833-1950*, Goose Lane, 2001, p. 45

Office Of Technology Assessment Washington DC (1995) *Fish passage technologies : protection at hydropower facilities*, Diana Publishing, ISBN 1-4289-2016-1.

National Geographic (2021). *A mysterious neurological disease is afflicting endangered Florida Panthers*.

National Parks Service. (2016). *Local Mountain Lion Population Faces*

Precipitous Decline in Genetic Diversity Within 50 Years, Possible Extinction.

National Parks Service. (2002). *Santa Monica Mountains National Recreation Area General Management Plan and Environmental Impact Statement.*

NBC Los Angeles (2020), *Abnormalities Linked to Inbreeding Spotted For First Time in Local Area Mountain Lions.*

Nevada Department of Transportation, 2015. *Effectiveness of Wildlife Crossing Structures to Minimize Traffic Collisions with Mule Deer and Other Wildlife in Nevada.*

Ng, S. J., Dole, J. W., Sauvajot, R. M., Riley, S. P., & Valone, T. J. (2003). *Use of Highway Undercrossing by Wildlife in Southern California.* Biological Conservation, 115, 499-507.

North Carolina Wildlife Federation (2021). *Wildlife Corridors: Connect Habitats, Save Lives.*

Parks Canada, 2017. *Banff National Park: 10 quick facts about highway wildlife crossings in the park.*

Puente Hills Habitat Preservation Authority, *Harbor Boulevard Wildlife Underpass*, 2013 (<http://www.habitatauthority.org/harbor-boulevard-wildlife-underpass/>).

Riley, S. P., Pollinger, J. P., Sauvajot, R. M., York, E. C., Bromley, C., Fuller, T. K., & Wayne, R. K. (2006). *A southern California freeway is a physical and social barrier to gene flow in carnivores.* Molecular Ecology, 15, 1733-1741. doi:10.1111/j.1365-294X.2006.02907.x

Riley, S. P., Sauvajot, R. M., Fuller, T. K., York, E. C., Kamradt, D. A., Bromley, C.,

& Wayne, R. K. (2003). Effects of urbanization and habitat fragmentation on bobcats and coyotes in southern California. *Conservation Biology*, 17, 566-576.

Riley, S. P., Serieys, L. E., Pollinger, J. P., Sikich, J. A., Dalbeck, L., Wayne, R. K., & Ernest, H. B. (2014). Individual behaviors dominate the dynamics of an urban mountain lion population isolated by roads. *Current Biology*, 24, 1989-1994.

Riley, S. P., Smith, T., & Vickers, T.W. (2018). *Assessment of Wildlife Crossing Sites for the Interstate 15 and Highway 101 Freeways in Southern California*. Produced in cooperation by National Park Service, The Nature Conservancy, and UC Davis Wildlife Health Center.

Scott, B. (2007), *Florida panther deaths increase from collisions with vehicles*, Florida Fish and Wildlife Conservation Commission.

Serieys, L. E. K., Lea, A., Pollinger, J. P., Riley, S. P., Wayne, R. K., (2015). *Disease and freeways drive genetic change in urban bobcat populations*.

Shilling, F., Denney, C., Waetjen, D., Harrold, K., Farman, P., & Perez, P. (2018). Impact of Wildlife Vehicle Conflict on California Drivers and Animals.

South Coast Wildlands. (2001). *Missing Linkages: Restoring Connectivity to the California Landscape*.

South Coast Wildlands. (2008). *South Coast Missing Linkages: A Wildland Network for the South Coast Ecoregion*. Produced in cooperation with partners in the South Coast Missing Linkages Initiative.

Spencer, W. D., Beier, P., Penrod, K., Winters, K., Paulman, C., Rustigian-Romsos, H., Pettler, (2010). *California Essential Habitat Connectivity Project: A Strategy for Conserving a Connected California*. Prepared for California Department of Transportation, California Department of Fish and Game, and Federal Highways

Administration.

State of California, Natural Resources Agency. (2021). *State and Federally listed endangered and threatened animals of California.*

State of California, Natural Resources Agency. (2021). *State and Federally listed endangered, threatened, and rare plants of California.*

Twistedstifter.com (2012), *12 amazing animal bridges around the world.*

Vartan, S. (2019), *How wildlife bridges over highways make animals-and people-safe*, National Geographic.

Westerpriorities.org (2020), *Wildlife-corridors-a-conservation-and-economic-solution.*